

Date	PM _{2.5} AQI			
	ATQ-5	ATQ-6	ATQ-7	ATQ-8
	O&M Shop	Fire Station	Public Works Office	Meade River School
10/31/2024	^	^	^	^
10/30/2024	^	^	^	^
10/29/2024	^	^	^	^
10/28/2024	^	^	^	^
10/27/2024	^	^	^	^
10/26/2024	^	^	^	^
10/25/2024	^	^	^	^
10/24/2024	^	^	^	^
10/23/2024	^	^	^	^
10/22/2024	^	^	^	^
10/21/2024	^	^	^	^
10/20/2024	^	^	^	^
10/19/2024	^	^	^	^
10/18/2024	^	^	^	^
10/17/2024	^	^	^	^
10/16/2024	^	^	^	^
10/15/2024	^	^	^	^
10/14/2024	^	^	^	^
10/13/2024	^	^	^	^
10/12/2024	^	^	^	^
10/11/2024	^	^	^	^
10/10/2024	^	^	^	^
10/9/2024	^	^	^	^
10/8/2024	^	^	^	^
10/7/2024	^	^	^	^
10/6/2024	^	^	^	^
10/5/2024	^	^	^	^
10/4/2024	^	^	^	^
10/3/2024	^	^	^	^
10/2/2024	12	^	^	3
10/1/2024	21	4	3	8
9/30/2024	15	4	3	10
9/29/2024	7	3	3	3
9/28/2024	7	3	3	4
9/27/2024	5	13	6	11
9/26/2024	9	4	4	9
9/25/2024	9	13	11	9
9/24/2024	11	17	12	12
9/23/2024	6	5	4	13
9/22/2024	10	4	4	2
9/21/2024	7	2	2	3
9/20/2024	2	2	3	17
9/19/2024	3	4	4	10

Date	PM _{2.5} AQI			
	ATQ-5	ATQ-6	ATQ-7	ATQ-8
	O&M Shop	Fire Station	Public Works Office	Meade River School
9/18/2024	6	9	9	7
9/17/2024	9	8	9	16
9/16/2024	12	13	15	12
9/15/2024	2	4	3	2
9/14/2024	3	4	2	4
9/13/2024	2	2	2	7
9/12/2024	6	7	4	9
9/11/2024	33	6	6	8
9/10/2024	7	7	6	9
9/9/2024	4	3	3	6
9/8/2024	4	2	1	2
9/7/2024	3	2	2	4
9/6/2024	6	9	7	12
9/5/2024	12	12	9	16
9/4/2024	9	9	8	9
9/3/2024	2	3	4	7
9/2/2024	5	6	5	3
9/1/2024	4	9	6	2
8/31/2024	7	11	9	4
8/30/2024	7	7	7	10
8/29/2024	10	16	11	28
8/28/2024	6	11	6	14
8/27/2024	11	16	14	14
8/26/2024	11	11	12	14
8/25/2024	20	22	27	7
8/24/2024	18	23	24	4
8/23/2024	8	12	11	9
8/22/2024	2	5	4	12
8/21/2024	8	7	6	12
8/20/2024	5	6	7	7
8/19/2024	7	14	12	11
8/18/2024	8	14	12	2
8/17/2024	5	11	7	1
8/16/2024	9	13	16	9
8/15/2024	3	4	7	6
8/14/2024	3	4	4	9
8/13/2024	7	9	9	10
8/12/2024	8	8	9	5
8/11/2024	3	5	4	2
8/10/2024	7	6	6	8
8/9/2024	3	5	3	3
8/8/2024	2	4	3	2
8/7/2024	7	6	7	4

Date	PM _{2.5} AQI			
	ATQ-5	ATQ-6	ATQ-7	ATQ-8
	O&M Shop	Fire Station	Public Works Office	Meade River School
8/6/2024	14	16	16	14
8/5/2024	8	8	8	7
8/4/2024	9	9	9	6
8/3/2024	3	4	4	4
8/2/2024	4	6	8	3
8/1/2024	6	9	9	3
7/31/2024	4	4	5	4
7/30/2024	3	4	4	2
7/29/2024	3	3	3	2
7/28/2024	3	5	6	2
7/27/2024	7	9	9	2
7/26/2024	4	4	4	3
7/25/2024	18	21	22	15
7/24/2024	17	21	26	13
7/23/2024	7	9	11	4
7/22/2024	2	2	2	3
7/21/2024	10	14	16	7
7/20/2024	23	26	27	11
7/19/2024	21	27	31	12
7/18/2024	18	21	22	9
7/17/2024	1	6	3	2
7/16/2024	3	2	2	4
7/15/2024	1	3	1	3
7/14/2024	8	9	16	2
7/13/2024	8	7	6	3
7/12/2024	17	8	7	8
7/11/2024	10	11	6	6
7/10/2024	10	7	6	9
7/9/2024	5	11	3	6
7/8/2024	1	2	1	1
7/7/2024	1	9	1	2
7/6/2024	1	2	1	1
7/5/2024	2	2	1	2
7/4/2024	16	21	19	6
7/3/2024	13	12	12	7
7/2/2024	15	17	14	16
7/1/2024	18	14	13	9
6/30/2024	21	22	15	10
6/29/2024	17	28	23	11
6/28/2024	23	29	23	22
6/27/2024	58	55	55	37
6/26/2024	49	52	52	26
6/25/2024	9	9	9	6

Date	PM _{2.5} AQI			
	ATQ-5	ATQ-6	ATQ-7	ATQ-8
	O&M Shop	Fire Station	Public Works Office	Meade River School
6/24/2024	3	3	2	5
6/23/2024	34	19	14	15
6/22/2024	43	27	29	15
6/21/2024	46	22	21	11
6/20/2024	23	14	10	6
6/19/2024	12	12	7	6
6/18/2024	5	6	5	19
6/17/2024	11	15	9	9
6/16/2024	27	22	21	11
6/15/2024	18	26	27	14
6/14/2024	19	26	28	13
6/13/2024	19	15	19	8
6/12/2024	7	4	7	2
6/11/2024	6	3	3	2
6/10/2024	14	30	12	6
6/9/2024	5	9	8	2
6/8/2024	13	22	20	4
6/7/2024	4	7	12	3
6/6/2024	4	6	4	2
6/5/2024	3	3	6	1
6/4/2024	5	7	8	3
6/3/2024	17	12	8	4
6/2/2024	13	9	7	3
6/1/2024	17	13	9	2
5/31/2024	23	15	21	4
5/30/2024	17	12	10	4
5/29/2024	20	6	8	3
5/28/2024	7	4	4	2
5/27/2024	14	3	1	1
5/26/2024	18	3	3	1
5/25/2024	4	6	3	1
5/24/2024	8	4	3	2
5/23/2024	4	3	2	2
5/22/2024	4	2	1	1
5/21/2024	10	1	1	1
5/20/2024	2	2	2	1
5/19/2024	4	4	4	1
5/18/2024	4	4	3	1
5/17/2024	21	11	5	2
5/16/2024	4	4	7	3
5/15/2024	6	4	8	7
5/14/2024	7	2	8	3
5/13/2024	16	2	5	4

Date	PM _{2.5} AQI			
	ATQ-5	ATQ-6	ATQ-7	ATQ-8
	O&M Shop	Fire Station	Public Works Office	Meade River School
5/12/2024	2	1	2	1
5/11/2024	3	2	2	1
5/10/2024	4	2	4	2
5/9/2024	8	12	11	3
5/8/2024	14	20	17	5
5/7/2024	24	28	28	7
5/6/2024	19	28	65	6
5/5/2024	9	22	32	2
5/4/2024	18	22	34	6
5/3/2024	5	8	7	3
5/2/2024	64	10	4	4
5/1/2024	24	13	+	4
4/30/2024	12	28	+	9
4/29/2024	41	11	+	4
4/28/2024	18	13	+	2
4/27/2024	37	26	+	3
4/26/2024	45	36	+	6
4/25/2024	36	37	+	7
4/24/2024	51	39	+	8
4/23/2024	52	43	+	9
4/22/2024	54	43	+	9
4/21/2024	40	27	+	4
4/20/2024	19	29	+	4
4/19/2024	7	11	+	5
4/18/2024	33	42	+	9
4/17/2024	22	29	+	7
4/16/2024	12	9	+	2
4/15/2024	14	9	+	4
4/14/2024	25	27	+	4
4/13/2024	61	60	+	11
4/12/2024	43	54	+	6
4/11/2024	15	11	+	3
4/10/2024	19	9	+	4
4/9/2024	8	12	+	5
4/8/2024	13	9	+	6
4/7/2024	11	19	+	3
4/6/2024	44	27	+	4
4/5/2024	17	14	+	6
4/4/2024	14	28	+	7
4/3/2024	18	17	+	9
4/2/2024	34	23	+	31
4/1/2024	41	52	+	8
3/31/2024	36	26	+	4

Date	PM _{2.5} AQI			
	ATQ-5	ATQ-6	ATQ-7	ATQ-8
	O&M Shop	Fire Station	Public Works Office	Meade River School
3/30/2024	12	21	+	3
3/29/2024	53	57	+	8
3/28/2024	36	45	+	7
3/27/2024	21	44	+	6
3/26/2024	22	37	+	5
3/25/2024	26	20	+	4
3/24/2024	46	53	+	5
3/23/2024	26	32	+	2
3/22/2024	26	3	+	2
3/21/2024	9	2	+	1
3/20/2024	22	5	+	3
3/19/2024	8	9	+	3
3/18/2024	34	51	+	5
3/17/2024	16	27	+	3
3/16/2024	8	9	+	3
3/15/2024	9	11	+	11
3/14/2024	10	11	+	3
3/13/2024	4	14	+	4
3/12/2024	12	18	+	3
3/11/2024	11	26	+	6
3/10/2024	12	35	+	4
3/9/2024	14	22	+	4
3/8/2024	19	22	+	8
3/7/2024	9	10	+	4
3/6/2024	9	16	+	4
3/5/2024	25	37	+	6
3/4/2024	28	51	+	6
3/3/2024	38	57	+	9
3/2/2024	54	60	+	10
3/1/2024	39	38	+	8
2/29/2024	9	17	+	6
2/28/2024	13	19	+	4
2/27/2024	11	9	+	3
2/26/2024	7	11	+	3
2/25/2024	4	4	+	1
2/24/2024	11	17	+	2
2/23/2024	15	22	+	3
2/22/2024	42	29	+	6
2/21/2024	41	23	+	5
2/20/2024	19	23	+	4
2/19/2024	26	11	+	3
2/18/2024	7	15	+	3
2/17/2024	13	24	+	6

Date	PM _{2.5} AQI			
	ATQ-5	ATQ-6	ATQ-7	ATQ-8
	O&M Shop	Fire Station	Public Works Office	Meade River School
2/16/2024	66	72	+	12
2/15/2024	32	36	+	6
2/14/2024	24	21	+	4
2/13/2024	11	13	+	2
2/12/2024	16	15	+	4
2/11/2024	28	67	+	6
2/10/2024	54	54	+	6
2/9/2024	18	29	+	4
2/8/2024	7	11	+	3
2/7/2024	16	26	+	5
2/6/2024	22	29	+	5
2/5/2024	27	24	+	26
2/4/2024	16	22	+	7
2/3/2024	10	13	+	4
2/2/2024	27	37	+	9
2/1/2024	38	36	+	5
1/31/2024	23	26	+	11
1/30/2024	50	55	+	6
1/29/2024	17	28	+	3
1/28/2024	17	16	+	2
1/27/2024	17	17	+	4
1/26/2024	8	18	+	9
1/25/2024	16	27	+	10
1/24/2024	16	22	+	4
1/23/2024	33	48	+	9
1/22/2024	19	23	+	3
1/21/2024	11	18	+	2
1/20/2024	26	36	+	3
1/19/2024	21	21	+	4
1/18/2024	17	18	+	7
1/17/2024	26	17	+	4
1/16/2024	21	18	+	5
1/15/2024	20	3	+	4
1/14/2024	28	17	+	3
1/13/2024	38	28	+	3
1/12/2024	32	26	+	4
1/11/2024	5	18	+	3
1/10/2024	9	9	+	4
1/9/2024	29	23	+	7
1/8/2024	30	17	+	8
1/7/2024	57	26	+	3
1/6/2024	26	51	+	3
1/5/2024	34	22	+	4

Date	PM _{2.5} AQI			
	ATQ-5	ATQ-6	ATQ-7	ATQ-8
	O&M Shop	Fire Station	Public Works Office	Meade River School
1/4/2024	48	18	+	5
1/3/2024	27	4	+	3
1/2/2024	42	21	+	2
1/1/2024	17	23	+	1
12/31/2023	27	46	+	2
12/30/2023	25	37	+	2
12/29/2023	10	19	+	1
12/28/2023	12	19	+	2
12/27/2023	26	32	+	4
12/26/2023	68	74	+	12
12/25/2023	75	73	+	10
12/24/2023	80	81	+	13
12/23/2023	6	12	+	2
12/22/2023	3	6	+	1
12/21/2023	4	6	+	1
12/20/2023	5	6	+	1
12/19/2023	3	11	+	2
12/18/2023	11	16	+	6
12/17/2023	10	12	+	2
12/16/2023	7	10	+	3
12/15/2023	19	15	+	24
12/14/2023	12	16	+	3
12/13/2023	7	4	+	2
12/12/2023	2	4	+	2
12/11/2023	12	1	+	1
12/10/2023	2	1	+	1
12/9/2023	3	3	+	1
12/8/2023	7	11	+	2
12/7/2023	3	24	+	2
12/6/2023	2	1	+	2
12/5/2023	6	4	+	2
12/4/2023	15	13	+	2
12/3/2023	16	7	+	1
12/2/2023	11	5	+	1
12/1/2023	11	12	+	3
11/30/2023	26	3	+	3
11/29/2023	26	3	+	1
11/28/2023	15	9	+	2
11/27/2023	1	1	+	1
11/26/2023	11	3	+	1
11/25/2023	9	2	+	1
11/24/2023	14	10	+	2
11/23/2023	9	5	+	1

Date	PM _{2.5} AQI			
	ATQ-5	ATQ-6	ATQ-7	ATQ-8
	O&M Shop	Fire Station	Public Works Office	Meade River School
11/22/2023	10	8	+	7
11/21/2023	8	4	+	2
11/20/2023	6	11	+	3
11/19/2023	28	12	+	6
11/18/2023	18	8	+	12
11/17/2023	13	12	+	13
11/16/2023	55	18	+	12
11/15/2023	54	19	+	10
11/14/2023	43	44	+	10
11/13/2023	6	7	+	4
11/12/2023	64	9	+	6
11/11/2023	24	17	+	7
11/10/2023	43	27	+	7
11/9/2023	44	37	+	8
11/8/2023	29	34	+	4
11/7/2023	23	21	+	2
11/6/2023	18	20	+	4
11/5/2023	19	21	+	1
11/4/2023	16	14	+	1
11/3/2023	16	11	+	4
11/2/2023	6	-	-	-
11/1/2023	-	-	-	-

AQI Categories	AQI Values	
	Low	High
Good	0	50
Moderate	51	100
Unhealthy for Sensitive Groups	101	150
Unhealthy	151	200
Very Unhealthy	201	300
Hazardous	301	500

Symbols	
^	Data has not yet been downloaded from a Modulair with no cellular connectivity.
NA	No PM _{2.5} data was collected by the Modulair on that day.
-	Modulair was not yet installed.
+	A problem occurred with the memory card, no data was obtained from the Modulair.